

To: Eugenia Naranjo/R2/USEPA/US@EPA;Stephanie Vaughn/R2/USEPA/US@EPA[];
tephanie Vaughn/R2/USEPA/US@EPA[]
Cc: "Sharon Budney" [BudneySL@cdm.com]
From: "Robert Law"
Sent: Fri 8/17/2012 3:13:01 PM
Subject: Re: hvCWCM->need for shipment of pre-cleaned 25 um filters

Eugenia an Stephanie:

I discussed this with AECOM and AP; these 25 um cellulose pre-filter were an option we were proposing to EPA based on the results of the field trial. We did not have approval from EPA to use it yet, and have not ordered any.

So while we tried all avenues, AECOM and subcontractors do not have any 25 um filters to send to EPA if you would like we can order them.

My apologies that we can provide you any immediately.

R/

Rob

Robert Law, Ph.D.
de maximis, inc.
rlaw@demaximis.com
Voice: 908-735-9315
Fax: 908-735-2132>>> Eugenia Naranjo <Naranjo.Eugenia@epamail.epa.gov> 8/17/2012 10:26 AM >>>
Thank you so much!
-----"Robert Law" <rlaw@demaximis.com> wrote: -----
To: Eugenia Naranjo/R2/USEPA/US@EPA
From: "Robert Law" <rlaw@demaximis.com>
Date: 08/17/2012 09:56AM
Cc: "Kristen Durocher" <kristen.durocher@aecom.com>, "Sharon Budney" <BudneySL@cdm.com>,
"Willard Potter" <otto@demaximis.com>, Stephanie Vaughn/R2/USEPA/US@EPA,
<aaccardidey@louisberger.com>, "Len Warner" <lwarner@louisberger.com>,
<Elizabeth.A.Buckrucker@usace.army.mil>
Subject: Re: hvCWCM->need for shipment of pre-cleaned 25 um filters

We are working on it....

>>> Eugenia Naranjo <Naranjo.Eugenia@epamail.epa.gov> 8/17/2012 9:20 AM >>>

Rob, Bill, Kristen,

Axys contacted the CPG vendor to order the 25 um filters, and it will take 7 days for filters to arrive. Would it be possible for the CPG ship four of your pre-cleaned 25 um filters to Axys -today- to keep this moving? You can use LBG's FedEx tracking number 306770276 for the overnight shipment.

The coagulant blank should include the 25 um filter because it is a cellulose-wood filter, not a glass fiber filter. If you have any questions you can contact AmyMarie (Stephanie's out today and I'm officially off but checking emails). Please let us know.

thanks,

Please send filters to:

Georgina Brooks

Axys Analytical Services

2045 Mill Road West

Sidney, British Columbia, Canada

V8L5X2

Eugenia Naranjo
United States Environmental Protection Agency
290 Broadway
New York, NY 10007-1866
212-637-3467
Naranjo.Eugenia@epa.gov